Application No. 10/709,626

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A hand-held ballistic shield, comprising:

a shield having a front face and a reverse face and formed of a ballistic material;

a viewing window through the shield;

a handle associated with the shield for carrying the shield or holding the shield in front of

at least a portion of a user's body wherein the reverse face is directed toward the user's

body when the shield is deployed in front of at least a portion of the user's body and the

front face is directed away from the user's body;

a-frame for mounting a firearm attached to the shield; and

a firearm permanently mounted to the shield and dischargeably operable when so

mounted and when said shield is held by said handle deployed in front of at least a

portion of said user's body which portion includes said user's hand contacting an actuator

or trigger of said firearm, wherein said firearm is mounted for discharge in a direction at

an angle outwardly from the front face of the shield and the firearm actuator or trigger is

on or adjacent to the reverse face of the shield.

2. (Original) The ballistic shield of claim 1, wherein the firearm is selected from the

group consisting of: taser guns, pistols, revolvers, gas discharge firearms.

3. (Original) The ballistic shield of claim 1, wherein the ballistic material is selected

from the group consisting of: boron carbide, silicon carbide, silicon nitride, aluminum

oxide, alumina ceramic, titanium diboride, reinforced fiberglass composite, reinforced

fiber and polymer resin composite, and mixtures of such materials.

Application No. 10/709,626

4. (Original) The ballistic shield of claim 1, wherein the viewing window is formed from a material selected from the group consisting of: bullet proof glass and polycarbonate polymer.

- 5. (Original) The ballistic shield of claim 1, wherein the handle is a forearm cuff.
- 6. (Original) The ballistic shield of claim 1, wherein the firearm is a taser gun, and further comprising a battery mounted to the shield for charging the taser gun.
- 7. (Original) The ballistic shield of claim 1, further comprising a disabling sensor to disable the firearm in response to a predetermined signal or a predetermined absence of a signal.
- 8. (Original) The ballistic shield of claim 1, wherein the firearm is mounted so that it discharges in a direction substantially perpendicular to the front face of the shield.
- 9. (Canceled)
- 10. (Original) The ballistic shield of claim 1, further comprising a second firearm mounted to the shield.
- 11. (Original) The ballistic shield of claim 10, wherein the second firearm is mounted so that it discharges in a direction substantially parallel to the rear face of the shield.
- 12. (Original) The ballistic shield of claim 1, further comprising a second weapon mounted to the rear face of the shield.
- 13. (Original) The ballistic shield of claim 1, further comprising one or more communications accessories mounted to the shield.
- 14. (Original) The ballistic shield of claim 13, wherein the communications accessories are selected from the group consisting of: radio, camera, digital camera, video camera,

Application No. 10/709,626

Docket No.: 12051-00001-US

cellular phone, cellular video, audio speaker, megaphone, homing signaling device, and global positioning transponder.

- 15. (Original) The ballistic shield of claim 1, further comprising one or more mirrors associated with the viewing window to extend the field of vision through said viewing window.
- 16. (Original) The ballistic shield of claim 1, further comprising one or more light sources mounted to the shield.
- 17. (Currently Amended) The ballistic shield of claim 1, wherein the shield is employable and the firearm is dischargeable with a single arm operation.
- 18. (Currently Amended) A portable ballistic shield, comprising: a shield having a front face and a reverse face and formed of a ballistic material wherein when said shield is deployed in front of at least a portion of a user's body the reverse face is directed toward the user's body and the front face is directed away from the user's body;
 - a viewing window through the shield;

 a handle associated with the shield for earrying the shield or

 holding the shield in front of a user's body;
 - a frame for mounting a firearm attached to the shield; and
 a firearm permanently mounted to the shield and dischargeably
 operable when so mounted and when said shield is deployed in
 front of at least a portion of a user's body, which portion includes
 said user's hand contacting an actuator or trigger of said firearm,

Application No. 10/709,626

and wherein said firearm is mounted for discharge in a direction at an angle outwardly from the front face of the shield with the actuator or trigger located on or adjacent to the reverse face of the shield;

a second firearm <u>permanently</u> mounted to the shield and dischargeably operable when so mounted, wherein said second firearm is mounted so as to discharge in a direction that is different from a discharge direction of said first firearm; <u>and</u>

one or more light sources mounted to the shield; and

[a] at least one disabling sensor to disable the firearms in response to a predetermined signal or a predetermined absence of a signal.

19. (Canceled) A hand-held ballistic shield, comprising:

a shield-having a front face and a reverse face and formed of a ballistic material;
a means for viewing through the shield;

a means for carrying or holding the chield in front of at least a portion of a user's body;

a means for mounting mounting a firearm to the shield; and
a firearm mounted to the shield and dischargeably operable when so mounted and
when said shield is held in front of at least a portion of the user's body, wherein
said firearm is mounted for discharge in a direction at an angle outwardly from
the front face of the shield.

20. (Canceled) The hand-held-ballistic shield of claim 19, wherein said means for viewing through the shield comprises a window; said means for carrying or holding the

Application No. 10/709,626

shield comprises a handle; and said means for mounting mounting a firearm comprises a frame.

- 21. (New) The hand-held ballistic shield of claim 1, further comprising a frame for mounting the firearm to the reverse face of the shield.
- 22. (New) The portable ballistic shield of claim 18, further comprising one or more light sources mounted to the shield.
- 23. (New) The portable ballistic shield of claim 18, further comprising a handle associated with the shield for carrying the shield or holding the shield in front of a user's body.